

It is in the details that quality comes to the fore. Our FK storeroom system has a heavy duty tubular design for both its doors and walls, which makes the system secure and stable. Try combining FK with partitions from our F-system, the results are often really impressive.



- Extra robust tubular construction in both doors and walls.
- Can be combined with the F and FP systems.
- Can be cut to suit existing construction.
- Can be supplied with a roof for ceiling heights exceeding 3.5 metres.
- The walls are painted in RAL 9018.

Product	Size (mm)	Description
Vertical tubes	30x20	Tubular steel frame, wall
Horizontal tubes	35x15	Tubular steel frame, wall
Vertical tubes	30x20	Tubular steel frame, door
Horizontal tubes	35x15	Tubular steel frame, door
Vertical wires	Ø 4,0	Steel mesh
Horizontal wires	Ø 4,0	Steel mesh
Dimensions	50x65	

Models

Door 2 articles

ARTICLES / DESCR	IPTION	WIDTH (MM)	HEIGHT (MM)
	40-4225750 Door	750	2250
	40-4225900 Door	900	2250

Lock solutions 6 articles

ARTICLES / DESCRIPTION	WIDTH (MM)	HEIGHT (MM)
34-00055 Reinforced padlock fitting with cover (standard)		
34-90000 Cylinder lock (optional)		
XIT-L01-104 X-It cylinder lock, hinge door, left, System FK		
XIT-R01-104 X-It cylinder lock, hinge door, right, System FK		
XIT-L09-104 X-It Electric with escape release function, hinge door, left, System FK		
XIT-R09-104 X-It Electric with escape release function, hinge door, right, System FK		

Wall section 10 articles

Accessories 3 articles

ARTICLES / DESCRIPTION		WIDTH (MM)	HEIGHT (MM)
	34-00110 Fittings for number patch, F/FK system		
	34-00120 Shelf, double mounting. 1200x400 mm		
	34-00130 Shelf, single mounting. 1200x400 mm		